

## وصف المنتج

متعددة الوظائف السحب لأعلى رف رف طاقة القرفصاء

□□□□	□□□□□□□□ □□□□□□
□□□	□□□□□□ □□□□ □□□□
□□□□□□□	115*162*215 سم
□□□□	□□□□ □□□□
□□□□ OEM	□□□□
□□	5 □□□□□□□
□□□□□□□□ □□□□□□□	□□□□□□□□□ □□□□□□□□
□□□□□□□ □□□□	100pcs □□□□□□ □□
□□□□□□ □□□□□□ □□□	60*60/75*75mm □ 2/2.5/3 :□□□□mm

## التغليف والشحن

- 1 ، التعبئة المستقلة ، كل 600-800 كجم في حالة خشب الرقائق ،
- 2 ، Advanccce وقت التسليم: 25-30 يومًا بعد دفع ،
- 3 ، شروط الدفع ، LC ، TT ، Western Union ، Money Gram

## خدماتنا


- 1 خدمة ما بعد الجودة المهنية تتعامل مع القضايا ،
  - 2 ضمان الجودة ،
  - 3 توصيل سريع ،
  - 4 يتابع المهندسون أي مشاكل ،
- :صور المنتج








مقارنة مع الآخرين




J type hook removable, convenient and practical

Not removable and adjustable, easy to slide, unsafe



Tight hole to meet a variety of needs

The utility model has the advantages of less hole location, single function and inconvenient use



The triangle is fixed, and the structure is more stable and firm

Easy to loose, unsafe



Column specification 80\*80\*3mm  
75\*75\*3mm  
65\*65\*2mm  
60\*60\*2mm

Column is narrower, poor quality, easy to damage

## التعليمات

- س: هل يمكنني التفاوض على السعر؟ (1)  
لك أفضل سعر Quoted" ج: نعم ، نحن  
س: ما هو الحد الأدنى للكمية؟ (2)  
ج: يمكننا قبول الطلبات الصغيرة  
س: هل تزود الملحقات المتطابقة؟ (3)  
ج: نعم ، لقد أكملنا مجموعة من معدات اللياقة البدنية

## معلومات الشركة

Xingya Sport Fitness Inc شاندونغ

هي مؤسسة معدات التمارين المهنية ل  
، تطوير، إنتاج ومبيعات الدمبل ، الحديد  
، الحصير ، الرفوف والمطاط الأخرى المنتجات المطلية والغمس ، kettlebell  
، على معدات الإنتاج المتقدمة والجودة الصارمة نظام التحكم  
نحن نوفر للعملاء منتجات عالية الجودة. الآن أنشأنا عمل قوي  
العلاقة مع مئات العملاء في جميع أنحاء الكلمات ، بما في ذلك شمال  
أمريكا وأوروبا والشرق الأوسط وآسيا. "خلق قيمة للجميع  
العملاء مع الابتكار والجودة " هو لدينا تغيير  
الوعد. نأمل بصدق أن نتعاون معك  
للتطور معًا في المستقبل

**داني:**

**WeChat/WhatsApp: 8618806354298      البريد الإلكتروني:**  
**danny@xysfitness.cn**